



Catalog - Q2 2011

Phone: 626-350-0555

Email: sales@shoppingcctv.com

Address:

12328 Valley Blvd, Ste. A
EL MONTE, CA 91732



Indoor Security Cameras



GW713C

Color Dome Security Camera (GW713C)

- Color
- 1/4" COMS CCD
- 3.6mm Lens
- 30PCS infrared LED
- Analog
- 500 TV lines
- 1 Lux
- 82 ft IR Distance

\$25.00



GW721B

Color Dome Security Camera (GW721B)

- Color
- 1/4" Sharp CCD
- 3.6mm Lens
- 26PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 82 ft IR Distance

\$28.90



GW721W

Color Dome Security Camera (GW721W)

- Color
- 1/4" Sharp CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$28.90



GW722DR

Color Dome Security Camera (GW722DR)

- Color
- 1/4" Sharp CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$28.90



GW714C

Color Dome Security Camera (GW714C)

- Color
- 1/3" COMS CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 600 TV lines
- 0.1 Lux
- 65.6 ft IR Distance

\$35.00



GW729

Color Dome Security Camera (GW729)

- Color
- 1/3" Sony CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$36.90



GW726B

Color Dome Security Camera (GW726B)

- Color
- 1/3" LG CCD
- 3.6mm Lens
- 23PCS infrared LED
- Aluminum
- 520 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$39.90



GW726W

Color Dome Security Camera (GW726W)

- Color
- 1/3" LG CCD
- 3.6mm Lens
- 23PCS infrared LED
- Aluminum
- 520 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$42.99

Indoor Security Cameras



GW728HB

Color Dome Security Camera (GW728HB)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 23PCS infrared LED
- Analog
- 520 TV
- 0 Lux
- 65.6 ft IR Distance

\$43.90



GW728W

Color Dome Security Camera (GW728W)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 23PCS infrared LED
- Analog
- 520 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$43.90



GW730L

Color Dome Security Camera (GW730L)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 560 TV lines
- 0.001 Lux
- 65.6 ft IR Distance

\$55.90



GW301H

Color Dome Security Camera (GW301H)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 26PCS infrared LED
- Analog
- 560 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$59.00



GW103M

Color Dome Security Camera (GW103M)

- Color
- 1/3" SONY CCD
- Vari-Focal 4~9mm Lens
- 36PCS infrared LED
- Analog
- 480 TV lines
- 0 Lux
- 98.5 ft IR Distance

\$59.00



GW731L

Color Dome Security Camera (GW731)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 36PCS infrared LED
- Analog
- 560 TV lines
- 0 Lux
- 98.5 ft IR Distance

\$60.90



GW106H

Color WDR Dome Security Camera (GW106H)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Wide Dynamic Range
- 600 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$64.00



GW-BC7

Small Color Security Camera (GW-BC7)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- Dimension: 38 x 105mm
- Analog
- 540TV lines
- 0.5Lux

\$69.00

Indoor Security Cameras



Color WDR Dome Security Camera (GW726WD)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Wide Dynamic Range
- 600 TV lines
- 0 Lux
- 65.6 feet IR Distance

\$79.90



Color Dome Security Camera (GW105H)

- Color
- 1/3" SONY CCD
- Vari-Focal 2.8~10mm Lens
- 98.5 feet IR Distance
- Analog
- 560 TV lines
- 0.001 Lux

\$88.00



Color WDR Dome Security Camera (GW106M)

- Color
- 1/3" SONY CCD
- Vari-Focal 3.5~8mm Lens
- 36PCS infrared LED
- Wide Dynamic Range
- 600 TV lines
- 0 Lux
- 98.5 feet IR Distance

\$89.90



Color Effio-E Dome Security Camera (GW727W)

- Color
- 1/3" Exview HAD CCD II
- 3.6mm Lens
- 24PCS infrared LED
- OSD/2D-DNR/BLC/MD
- 700 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$89.90



Color Effio-E Dome Security Camera (GW727WD)

- Color
- 1/3" Exview HAD CCD II
- Vari-Focal 2.8~12mm Lens
- 22PCS infrared LED
- OSD/2D-DNR/BLC/MD
- 700 TV lines
- 0 Lux
- 59 ft IR Distance

\$89.90



Color WDR Dome Security Camera (GW107WD)

- Color
- 1/3" SONY CCD
- Vari-Focal 2.8~10mm Lens
- 36PCS infrared LED
- Wide Dynamic Range
- 700 TV lines
- 0.001 Lux
- 98.5 feet IR Distance

\$99.00



Color Effio-E Dome Security Camera (GW107M)

- Color
- 1/3" Exview HAD CCD II
- Vari-Focal 2.8~12mm Lens
- 36PCS infrared LED
- OSD/2D-DNR/BLC/MD
- 700TV lines
- 0 Lux
- 98 ft IR Distance

\$109.00



Color SONY CCD 27X ZOOM Security Camera (GW27XZ)

- Color
- SONY CCD 27X ZOOM
- 3.2mm ~ 86.4mm Lens
- OSD Menu/line control/RS-485 control
- Auto focus
- Analog
- 420 TV lines
- 0.5 Lux

\$101.00

Indoor Security Cameras



Color Effio-E Dome Security Camera (GW108M)

- Color
- 1/3" Exview HAD CCD II
- Vari-Focal 2.8~12mm Lens
- 36PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- Vandalproof
- 98 ft IR Distance

\$119.00



PIXIM SEAWOLF DPS Camera (GW1833P)

- Color
- 1/3" PIXIM SEAWOLF DPS
- 4-9mm Auto Iris Lens
- 3D Noise Eliminating
- Analog
- 690TVL-E
- Ultra WDR of 120dB

\$159.00

Outdoor Security Cameras



Outdoor IR Security Camera (GW645R)

- Color
- 1/4" SONY CCD
- 3.6mm Lens
- 12PCS infrared LED
- Analog
- 420TV lines
- 0 Lux
- 33 ft IR Distance

\$32.90



Outdoor IR Security Camera (GW646)

- Color
- 1/4" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 420TV Lines
- 0 Lux
- 65.6 ft IR Distance

\$33.90



Outdoor IR Security Camera (GW650)

- Color
- 1/4" SONY CCD
- 3.6mm Lens
- 26PCS infrared LED
- Analog
- 420TV Lines
- 0 Lux
- 82 ft IR Distance

\$33.90



Outdoor IR Security Camera (GW646W)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$34.90



Outdoor IR Security Camera (GW648W)

- Color
- 1/3" SONY CCD
- 3.6mm Len
- 24PCS infrared LED
- Analog
- 480 TV lines
- 0 Lux
- 65.6 ft IR Distance

\$37.90



Outdoor IR Security Camera (GW741)

- Color
- 1/3" SONY CCD
- 3.6mm Len
- 30PCS infrared LED
- Analog
- 420 TV lines
- 0 Lux
- 82 ft IR Distance

\$41.90

All Product specifications and pricing are subject to change without notice - Rev 10.1

www.shoppingcctv.com 626-350-0555

Outdoor Security Cameras



GW635LG

Outdoor IR Security Camera (GW635LG)

- Color
- 1/3" Color CCD
- 3.6mm Lens
- 23PCS infrared LED
- Analog
- 520 TV Lines
- 0 Lux
- 65.6 feet IR Distance

\$41.90



GW648

Outdoor IR Security Camera (GW648)

- Color
- 1/4" SONY CCD
- 3.6mm Lens
- 24PCS infrared LED
- Analog
- 540 TV Lines
- 0 Lux
- 65.6 feet IR Distance

\$44.90



GW630A

Outdoor IR Security Camera (GW630A)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 30PCS infrared LED
- Analog
- 520 TV Lines
- 0 Lux
- 92 feet IR Distance

\$49.90



GW745L

Outdoor IR Security Camera (GW745L)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 30PCS infrared LED
- Analog
- 540 TV Lines
- 0 Lux
- 82 feet IR Distance

\$53.00



GW632A

Outdoor IR Security Camera (GW632A)

- Color
- 1/3" SONY CCD
- 6mm CS Mount Lens
- 32PCS infrared LED
- Analog
- 520 TV Lines
- 0 Lux
- 164 feet IR Distance

\$58.95



GW630L

Outdoor IR Security Camera (GW630L)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 30PCS infrared LED
- Analog
- 560 TV Lines
- 0.001 Lux
- 92 feet IR Distance

\$60.90



GW745H

Outdoor IR Security Camera (GW745H)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 30PCS infrared LED
- Analog
- 560 TV Lines
- 0 Lux
- 82 feet IR Distance

\$68.00



GW704R

Outdoor IR Security Camera (GW704R)

- Color
- 1/3" SONY CCD
- Vari-Focal 4~9mm Lens
- 36PCS infrared LED
- Analog
- 560TV Lines
- 0 Lux
- 132 feet IR Distance

\$70.90

Outdoor Security Cameras



GW632L

Outdoor IR Security Camera (GW632L)

- Color
- 1/3" SONY CCD
- 6mm Lens
- 48PCS infrared LED
- Analog
- 560 TV lines
- 0 Lux
- 132 ft IR Distance

\$71.90



GW2011A

Outdoor IR Security Camera (GW2011A)

- Color
- 1/3" SONY CCD
- Vari-Focal 4~9mm Lens
- 30PCS infrared LED
- Analog
- 520 TV lines
- 0 Lux
- 82 ft IR Distance

\$72.90



GW320A

Outdoor IR Security Camera (GW320A)

- Color
- 1/3" SONY CCD
- 6mm CS lens
- 48 x ϕ 8 + 24 x ϕ 5 pcs IR LEDs
- Analog
- 420 TV lines
- 0 Lux
- 328 ft IR Distance

\$73.90



GW706A

Outdoor IR Security Camera (GW706A)

- Color
- 1/3" Color CCD
- Vari-Focal 4~9mm Lens
- 42PCs IR LED
- Analog
- 540 TV Lines
- 0 Lux
- 114.8 ft IR Distance

\$75.90



GW2011L

Outdoor IR Security Camera (GW2011L)

- Color
- 1/3" SONY CCD
- Vari-Focal 4~9mm Lens
- 82 feet IR Distance
- Analog
- 560 TV lines
- 0 Lux
- 82 ft IR Distance

\$77.90



GW320B

Outdoor IR Security Camera (GW320B)

- Color
- 1/3" SONY CCD
- 6mm CS lens
- 48 x ϕ 8 + 24 x ϕ 5 pcs IR LEDs
- Analog
- 540 TV lines
- 0 Lux
- 328 ft IR distance

\$83.90



GW706H

Outdoor IR Security Camera (GW706H)

- Color
- 1/3" Color CCD
- Vari-Focal 4~9mm Lens
- 42PCs IR LED
- Analog
- 560 TV Lines
- 0 Lux
- 114.8 ft IR Distance

\$83.90



GW639WD

Outdoor WDR IR Security Camera (GW639WD)

- Color
- 1/3" SONY CCD
- 4mm Lens
- 36PCs IR LED
- Wide Dynamic Range
- 600 TV Lines
- 0 Lux
- 98.4 ft IR Distance

\$89.00

Outdoor Security Cameras



Outdoor WDR IR Security Camera (GW612WD)

- Color
- 1/3" SONY CCD
- 3.6mm lens
- 48PCS infrared LED
- Wide Dynamic Range
- 600TV Lines
- 0 Lux
- 131 ft IR Distance

\$92.00



Outdoor WDR IR Security Camera (GW733H)

- Color
- 1/3" SONY CCD
- 3.6mm Lens
- 30PCS infrared LED
- Wide Dynamic Range
- 600 TV lines
- 0 Lux
- 82 ft IR Distance

\$92.00



Outdoor IR Security Camera (GW780A)

- Color
- 1/3" SONY CCD
- Vari-Focal 8~20mm Lens
- 72PCs IR LED
- Analog
- 520 TV lines
- 0 Lux
- 196.85 ft IR Distance

\$94.00



Outdoor Effio-E IR Security Camera (GW613WD)

- Color
- 1/3" Exview HAD CCD II
- 3.6mm lens
- 48PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- 0 Lux
- 164 ft IR Distance

\$99.00



Outdoor Effio-E IR Security Camera (GW706WD)

- Color
- 1/3" Exview HAD CCD II
- 2.8~10mm varifocal lens
- 42PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- 0 Lux
- 131 ft IR Distance

\$108.00



Outdoor WDR IR Security Camera (GW2011WD)

- Color
- 1/3" SONY CCD
- Vari-Focal 4~9mm lens
- 30PCS infrared LED
- Wide Dynamic Range
- 700TV Lines
- 0 Lux
- 82 feet IR Distance

\$109.00



Outdoor Effio-E IR Security Camera (GW30WD)

- Color
- 1/3" Exview HAD CCD II
- 2.8~12mm varifocal lens
- 42PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- 0 Lux
- 115 ft IR Distance

\$110.00



Long Distance Day Night Camera (GW707H)

- Color
- 1/3" SONY CCD
- 4~9mm varifocal lens
- 42PCS infrared LED
- Wide Dynamic Range
- 600TV Lines
- 0 Lux
- 131 feet IR Distance

\$119.00

Outdoor Security Cameras

Effio-E

Button
Control



GW50WD

Outdoor Effio-E IR Security Camera (GW50WD)

- Color
- 1/3" Exview HAD CCD II
- 2.8~12mm varifocal lens
- 72PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- 0 Lux
- 164 ft IR Distance

\$122.00

Effio-E

Button
Control



GW781A

Outdoor Effio-E IR Security Camera (GW781A)

- Color
- 1/3" Exview HAD CCD II
- 9~22mm varifocal lens
- 72PCS infrared LED
- OSD/2D-DNR/BLC
- 700 TV lines
- 0 Lux
- 164 ft IR Distance

\$129.00



GS70W

Long Distance Day Night Camera (GS70W)

- Color
- 1/3" SONY DS CCD SAMSUNG SV-IV DSP
- 9~22mm auto iris lens
- 30PCS infrared LED
- 560 TV Lines
- 0 Lux
- 131 feet IR Distance

\$230.00

PIXIM 690TVL-E



GW1518

Outdoor PIXIM SEAWOLF DPS Camera (GW1518)

- Color
- 1/3" PIXIM SEAWOLF DPS
- Ultra Wide Dynamic Range, 120dB
- 70PCS infrared LED
- Analog
- 690TVL-E
- 3D Noise Eliminating
- 328 feet IR Distance

\$399.00

Hidden Security Cameras



GW8310A

Plug-shaped hidden camera. 3.7mm Taper Pinhole Lens. 1/3" SONY CCD, 0.8 Lux, 420 TVL. Audio Input and Light Weight. Elegant Design for Use In Office, Warehouse or Domestic Applications. NTSC:510X492

\$45.90



GW280

1/4" Sony CCD Mini Full Cone Pinhole Camera. You Can Virtually Hide it Anywhere. Dimension: 25x25mm/30x30mm. Super Low 0.05Lux Works Great In Low Light

\$46.90



GW831

1/3" OmnVision CMOS Mini Pinhole Camera. You Can Virtually Hide it Anywhere. Super Low 0Lux Works Great In Low Light

\$49.00



GW832

1/3" OmnVision CMOS Mini Pinhole Camera. You Can Virtually Hide it Anywhere. Super Low 0Lux Works Great In Low Light

\$49.00



GW8230SB

PIR Spy Color Camera. 1/3" Sony CCD, 480 TV Lines, 3.7mm Wide Angle View. Super Small Pinhole Hidden Camera Shaped Like a PIR Motion Detector.

\$49.90



GW-MC4

1/3" SONY CCD Small Hidden Camera, 420TV line. You Can Virtually Hide it Anywhere. Dimension: 36 x 40 x 41. Super Low 0.1Lux Works Great In Low Light

\$52.00



GW810CP

1/3" SONY CCD Small Pinhole Camera, 425TV line. You Can Virtually Hide it Anywhere. Dimension: 35.5mm/35.5mm. Super Low 0.5Lux Works Great In Low Light

\$52.00



GW-D2310

1/3" SONY CCD Small Hidden Camera, 420TV line, 3.7mm lens. You Can Virtually Hide it Anywhere. Great In Low Light

\$56.00



GW-D2311

1/3" SONY CCD Small Hidden Camera, 420TV line, 2.97mm lens. You Can Virtually Hide it Anywhere. Great In Low Light

\$58.00

Hidden Security Cameras



GW-BB7

1/3" SONY CCD Small Hidden Camera, 540TV line. You Can Virtually Hide it Anywhere. Dimension: 38 x 105mm. Super Low 0.5Lux Works Great In Low Light

\$69.00



GW660CP

1/3" Sony CCD Small Pinhole Camera, 525 TV Line. You Can Virtually Hide it Anywhere. Dimension: 35.5mm/35.5mm. Super Low 0.8Lux Works Great In Low Light

\$78.00



GW-D1910

1/3" SONY CCD Small Hidden Camera, 550TV line, 2.97mm lens. You Can Virtually Hide it Anywhere. Great In Low Light

\$96.00



GW8330

Functional Smoke Detector Color Covert Camera, SONY Color CCD Image Sensor, 540 TVLines, 3.7mm Pinhole Lens, Mini Illumination 0.1 LUX. Alarm Output Function

\$107.00



GW-D2155

1/3" SONY CCD 3D-DNR Hidden Camera, 550TV line, Bullet Camera with DNR function. 2.97mm lens. You Can Virtually Hide it Anywhere. Great In Low Light

\$120.00



GWC405

1/3" SONY Super HAD Color CCD Square Camirror, 540TV Line, Built-in 4.3mm lens. Hidden camera behind it. Great Image, Great for Entrance. Help the cashier to receive an exact observation

\$178.00



GW150H

Halogen IP55 Auto Detector Light Camera / Hidden / Covert / Pin-hole Camera (Floodlight). 1/3" SONY Super HAD Color CCD, 540 TV Lines. Halogen Tube: 150W.

\$180.00



GWC406

1/3" SONY Super HAD Color CCD Oval Camirror, 540TV Line, Built-in 4.3mm lens. Hidden camera behind it. Great Image, Great for Entrance. Help the cashier to receive an exact observation

\$187.00



GW500H

Halogen IP55 Auto Detector Light Camera / Hidden / Covert / Pin-hole Camera (Floodlight). 1/3" SONY Super HAD Color CCD, 540 TV Lines. Halogen Tube: 500W.

\$190.00

Long Distance Security Cameras



GS70W

Long Distance Day Night Camera with Bracket. 1/3" SONY DS CCD SAMSUNG SV-IV DSP, color 560TVL, B/W 700TVL, IR 131.23 feet, 9-22mm auto iris lens

\$230.00

PIXIM 690TVL-E



GW1518

Professional IR Waterproof Camera, with 1/3" PIXIM SEAWOLF DPS, 690TVL-E, WDR of 120dB, 3D Noise Eliminating Technology

\$399.00

Hybrid LED



GW8051

Anti-Crime Smart Dual Light LED Camera, Hybrid LED 530TVL, 3.7mm~12mm Varifocal lens. Auto Iris + IR Cut. Supported motion and PIR detection system with white light and IR LED.

\$190.00



GW7121

Professional Long Distance Viewing Smart Shirt IR Camera. 1/3" SONY Super HAD CCD Camera. 540 TV lines, 6 ~ 50 mm / F1.6 varifocal lens, 42pcs IR LED (36pcs Piranha / 6pcs Reflection), 262 ft IR Distance. Removable IR Cut Filter Built-in, accurate focus for Day & Night. OSD Menu. Great Image.

\$340.00



GW359L

License Plate Box Camera. 1/3" SONY CCD, color 560TVL, B/W 700TVL, 0.002 Lux, 5-50mm auto iris lens, NTSC

\$176.00



GW560R-G

License Plate Camera. 1/3" SONY CCD, color 600TVL, B/W 700TVL, 0 Lux, 9~22mm varifocal lens, 42pcs IR LED, 98.4 ft IR Distance.

\$190.00



G-63W

1/3" SONY CCD Digital WDR Box Camera & External IR. 600 TV lines. WDR (Wide Dynamic Range). OSD Menu. Low Illumination 0.1 Lux. 98.42 ft IR Distance. Great Image, Great for Entrance.

\$220.00

PTZ Security Cameras



GWNA32

Mini Low Speed outdoor Pan/Tilt dome Camera. 30 Degree/second with 580 TV line camera NTSC with 4~9mm lens.

\$189.90



GWNA51

Mini High Speed indoor PTZ dome Camera. 240 Degree/second with high resolution camera, 10*Zoom, day/night, NTSC. Pendant bracket, power supply. Chromium coating. SONY CCD, F=3.8 to 38mm(F1.8 to 3.2) 10* optical zoom, 10* digital zoom. 580 TVL, Color: 0.7 Lux/F1.8 (50 IRE) B/W: 0.02Lux/F1.8 (50 IRE)

\$399.90



GWNA52

Mini High Speed outdoor PTZ dome Camera. 240 Degree/second with high resolution camera, 10*Zoom, day/night, anti-vandal with wall mount bracket power supply. SONY CCD, F=3.8 to 38mm(F1.8 to 3.2) 10* optical zoom, 10* digital zoom. 580 TVL, Color: 0.7 Lux/F1.8 (50 IRE) b/W: 0.02Lux/F1.8 (50 IRE)

\$410.00



GWNA7D2

Middle Speed outdoor PTZ dome Camera. 100 Degree/Second with wall mount bracket power supply with 27*zoom day/night. SONY CCD, F=1.5-F3.6, F=3.25mm~88mm. 27* optical zoom, 12*digital zoom. Color Mode: 0.003 (0.6) Lux B/W Mode: 0.0001 (0.1) Lux, 600 TV Lines

\$497.90



GW53W

Indoor/Outdoor high speed dome 1/4" Sony CCD 230X zoom lens camera, Low Lux, super longer range zoom, Special fully control Housing Design with motor built-in, High speed controlling camera with adjustable Lens

\$562.00



GWPT-722RI

Intelligent IR Middle Speed Outdoor PTZ dome Camera. 22 times outdoor 360 degree continuous turning, 64 preset point, 520 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$599.00



GWNA8D2

Intelligent IR Middle Speed Outdoor PTZ dome Camera, 18x optical and 12x digital day/night NTSC. Horizontal Rotation Speed 1~160°/s. IR distance is 140M. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$697.90



GWPT-723RI-H

Intelligent IR Middle Speed Outdoor PTZ dome Camera. 23 times outdoor 360 degree continuous turning, 64 preset point, 560 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$800.00

PTZ Security Cameras



GWPT-727RIII-H

Intelligent IR High Speed Outdoor PTZ dome Camera. 27 times optical zoom , 10 times digital zoom outdoor 360 degree continuous turning, 128 preset point, 580 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$825.00



GWPT-722RI-AL-IP

Intelligent IR Middle Speed Outdoor IP PTZ dome Camera. 22X Optical Zoom, 100M IR Range, Pan angle: 360° Tilt: 180°, 64 preset point, 480 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ..

\$940.00



GWPT-722RIII-IP

Intelligent IR High Speed Outdoor PTZ dome Camera. 22 times optical zoom, outdoor Horizontal 360° continuous turning, 128 preset point, 580 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$1,130.00



GWPT-736RIII

Intelligent IR High Speed Outdoor PTZ dome Camera. 36 times optical zoom, 12 times digital zoom outdoor 360 degree continuous turning, 128 preset point, 480 TVL. It fits for a wide range of applications such as intelligent building, bank, street of city, airport, station etc ...

\$1,550.00